ADVANCES IN
POLYMER
TECHNOLOGY
JOURNAL OF
The Polymer Processing Institute

VOLUME 22

ISSUES 1–4

Spring 2003—Winter 2003

© 2003 Wiley Periodicals, Inc.

ADVANCES IN
POLYMER
TECHNOLOGY

JOURNAL OF
The Polymer Processing Institute

The Polymer Processing Institute (PPI) is an independent research corporation headquartered at NJ Institute of Technology with strong links to the Institute of Polymer Technology and materials engineering of Loughborough University (UK). Its mission is to assist industry by advancing knowledge in the field of Polymer Technology and related areas through sponsored research, development, and education, and to disseminate information via all appropriate mechanisms for technology transfer.

Author Index
Volume 22, 2003

Baek, S.-Y., see Park, C.-S.
Balaji, P. J., see Rajulu, A. V.

Can, H. K., Kavlak, S., Kirci, B., and Güner, A.: Swelling Behavior of Poly(*N*-vinyl-2-pyrrolidone) and Poly(*N*-vinyl-2-pyrrolidone)/$K_2S_2O_8$ Hydrogels in α-Lactose Solutions, 252
Caneba, G. T., see Tirumala, V. R.
Capanescu, C., and Cincu, C.: Evaluation of UV Inhibitors in Polyester Gelcoats, 365
Chang, J.-H., see Yang, S.-Y.
Chang, K.-H., see Liu, S.-J.
Chen, S.-C., Liaw, W.-L., Su, P.-L., and Chung, M.-H.: Investigation of Mold Plate Separation in Thin-Wall Injection Molding, 306
Chung, M.-H., see Chen, S.-C.
Cincu, C., see Capanescu, C.
Coca, J., see Horta, A.
Connelly, R. K., and Kokini, J. L.: 2-D Numerical Simulation of Differential Viscoelastic Fluids in a Single-Screw Continuous Mixer: Application of Viscoelastic Finite Element Methods, 22

Dar, Y., see Tirumala, V. R.
Denizli, A., see Say, R.
de Graaf, R. A., and Janssen, L. P. B. M.: The Hydroxypropylation of Starch in a Self-Wiping Twin Screw Extruder, 56
Devi, L. G., see Rajulu, A. V.
Díez, F. V., see Horta, A.

Emir, S., see Say, R.
Eslami, H., see Morshedian, J.
Erdoğan, M., see Pekcan, Ö.

Failla, S., see Frigione, M.
Favis, B. D., see Rodriguez-Gonzalez, F. J.
Finocchiaro, P., see Frigione, M.
Forsman, K., see Sekula, R.
Frigione, M., Maffezzoli, A., Finocchiaro, P., and Failla, S.: Cure Kinetics and Properties of Epoxy Resins Containing a Phosphorous-Based Flame Retardant, 329

Garipcan, B., see Say, R.
Gogos, C. G., see Qian, B.
Gogos, C. G., see Yamaguchi, M.
Greco, A., Maffezzoli, A., and Vlachopoulos, J.: Simulation of Heat Transfer During Rotational Molding, 271
Grindling, J., see Sekula, R.
Güner, A., see Can, H. K.

He, J., see Rajulu, A. V.
Hinrichsen, G., Hoffmann, A., Schleeh, T., and Macht, C.: Continuous Production of Ultrathin Polymeric Nanofilms Using the Spontaneous Film Formation Technique, 120
Hoffmann, A., see Hinrichsen, G.
Horta, A., Coca, J., and Díez, F. V.: Degradation Kinetics of Meta- and Para-Aromatic Polyamides, 15
Huang, L. C., see Kontopoulou, M.

Işik, B.: Thermoresponsive Poly(*N*-isopropylacrylamide-co-*N*-vinylimidazole) Hydrogels by Redox Polymerization, 246

Advances in Polymer Technology, Vol. 22, No. 4, 390–392 (2003)
© 2003 Wiley Periodicals, Inc.

Jabarin, S. A., see Tharmapuram, S. R.
Jabarin, S. A., see Tharmapuram, S. R.
Jabarin, S. A., see Tharmapuram, S. R.
Janssen, L. P. B. M., see de Graaf, R. A.

Kaczmarek, K., see Sekula, R.
Kavlak, S., see Can, H. K.
Kaya, D., see Pekcan, Ö.
Keyvani, M.: Improved Polyurethane Dispersion Stability via Continuous Process, 218
Khonakdar, H. A., see Morshedian, J.
Kim, S. W., see Park, C.-S.
King, J. A., see Krueger, Q. J.
Kirci, B., see Can, H. K.
Kokini, J. L., see Connelly, R. K.
Kontopoulou, M., Huang, L. C., and Lee, J. A.: Binary Blends of EVA and Metallocene-Catalyzed Ethylene-α-Olefin Copolymers and Their Film Properties, 209
Krueger, Q. J., and King, J. A.: Synergistic Effects of Carbon Fillers on Shielding Effectiveness in Conductive Nylon 6,6- and Polycarbonate-Based Resins, 96

Lee, J. A., see Kontopoulou, M.
Lee, J. W., see Lee, S. M.
Lee, K.-J., see Park, C.-S.
Lee, S. M., Nam, G. J., and Lee, J. W.: The Effect of Boron Nitride Particles and Hot-Pressed Boron Nitride Die on the Capillary Melt Flow Processing of Polyethylene, 343
Liaw, W.-L., see Chen, S.-C.
Lin, C.-T., see Yang, S.-Y.
Liu, F., see Pop-Iliev, R.
Liu, G., see Pop-Iliev, R.
Liu, S.-J., and Chang, K.-H.: Parameters Affecting the Full-Shot Molding of Gas-Assisted Injection-Molded Parts, 1

Macht, C., see Hinrichsen, G.
Maffezzoli, A., see Frigione, M.
Maffezzoli, A., see Greco, A.
Mancini, D. C., see Tirumala, V. R.
Mehrabzadeh, M., see Morshedian, J.
Morshedian, J., Khonakdar, H. A., Mehrabzadeh, M., and Eslami, H.: Preparation and Properties of Heat-Shrinkable Cross-Linked Low-Density Polyethylene, 112

Nam, G. J., see Lee, S. M.
Nowak, T., see Sekula, R.

Park, C. B., see Pop-Iliev, R.
Park, C.-S., Baek, S.-Y., Lee, K.-J., and Kim, S. W.: Two-Phase Flow in a Gas-Injected Capillary Tube, 320
Patir, S., see Say, R.
Pekcan, Ö., Kaya, D., and Erdoğan, M.: Experimental Determination of Gelation and Swelling Parameters Using Time-Resolved Fluorescence Technique, 238
Pop-Iliev, R., Liu, F., Liu, G., and Park, C. B.: Rotational Foam Molding of Polypropylene with Control of Melt Strength, 280

Qian, B., Todd, D. B., and Gogos, C. G.: Plastic Energy Dissipation and Its Role on Heating/Melting of Single-Component Polymers and Multi-Component Polymer Blends, 85

Rajulu, A. V., Rao, G. B., Devi, L. G., Balaji, P. J., He, J., and Zhang, J.: Interlaminar Shear Strength of Polycarbonate-Toughened Epoxy Composites Reinforced With Glass Rovings, 373
Ramsay, B. A., see Rodriguez-Gonzalez, F. J.
Rao, G. B., see Rajulu, A. V.
Rautiainen, A., see Sekula, R.
Rodriguez-Gonzalez, F. J., Virgilio, N., Ramsay, B. A., and Favis, B. D.: Influence of Melt Drawing on the Morphology of One- and Two-Step Processed LDPE/Thermoplastic Starch Blends, 297

Saj, P., see Sekula, R.
Say, R., Emir, S., Garipcan, B., Patir, S., and Denizli, A.: Novel Methacryloylamidophenylalanine Functionalized Porous Chelating Beads for Adsorption of Heavy Metal Ions, 355
Schleeh, T., see Hinrichsen, G.
Sekula, R., Saj, P., Nowak, T., Kaczmarek, K., Forsman, K., Rautiainen, A., and Grindling, J.: 3-D Modeling Reactive Molding Processes: From Tool Development to Industrial Application, 42
Su, P.-L. see Chen, S.-C.

Tharmapuram, S. R., and Jabarin, S. A.: Processing Characteristics of PET/PEN Blends, Part 1: Extrusion and Transesterification Reaction Kinetics, 137
Tharmapuram, S. R., and Jabarin, S. A.: Processing Characteristics of PET/PEN Blends, Part 2: Rheology and Degradation Kinetics, 147

Tharmapuram, S. R., and Jabarin, S. A.: Processing Characteristics of PET/PEN Blends, Part 3: Injection Molding and Free Blow Studies, 155
Tirumala, V. R., Caneba, G. T., Dar, Y., Wang, H.-H., and Mancini, D. C.: Nanoparticles from a Controlled Polymerization Process, 126
Todd, D. B.: Heat Transfer Issues in Foam Extrusion, 69
Todd, D. B., see Qian, B.
Todd, D. B., see Yamaguchi, M.

Virgilio, N., see Rodriguez-Gonzalez, F. J.
Vlachopoulos, J., see Greco, A.

Wang, H.-H., see Tirumala, V. R.

Xanthos, M., see Zarkadas, D. M.

Yamaguchi, M., Todd, D. B., and Gogos, C. G.: Rheological Properties of LDPE Processed by Conventional Processing Machines, 179
Yang, S.-Y., Lin, C.-T., and Chang, J.-H.: Secondary Gas Penetrations in Ribs During Full-Shot Gas-Assisted Injection Molding, 225

Zarkadas, D. M., and Xanthos, M.: Prediction of Cooling Time in Injection Molding by Means of a Simplified Semianalytical Equation, 188
Zhang, J., see Rajulu, A. V.